

Meet the AMI Recessed Lighting Series, where innovation meets diversity. Highlighted by its adjustable multi-angle filters, its standout feature is the retractable built-in design. Available in circular and square shapes with single, double, and triple lamp configurations, these fixtures allow users to easily adjust the lighting position, offering unmatched flexibility in illumination control.


AMI 嵌燈系列，矚目的可調多角度濾片，獨特之處在於可伸縮式嵌入設計。提供圓形和方形、單、雙、三燈選擇，讓用戶輕鬆調整燈具位置，實現極大的光線自主性。



Ami



Magnetic filter
磁吸式濾片




D41-1-A

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W

光通量:370lm

材質:鋁

光束角:18°-45°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:10W

Luminous Flux:370lm


Material:Aluminum

BA.:18°-45°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D41-2-A

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W*2

光通量:370lm*2

材質:鋁

光束角:18°-45°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:10W*2

Luminous Flux:370lm*2


Material:Aluminum

BA.:18°-45°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D41-3-A

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W*3

光通量:370lm*3

材質:鋁

光束角:18°-45°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:10W*3

Luminous Flux:370lm*3


Material:Aluminum

BA.:18°-45°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D41-4-A Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W

光通量:370lm

材質:鋁

光束角:18°-45°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:10W

Luminous Flux:370lm


Material:Aluminum

BA.:18°-45°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D41-1-B

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W

光通量:420lm

材質:鋁

光束角:10°

濾片角度:15°/25°/38°/10x35°/蜂網片

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:10W

Luminous Flux:420lm

Material:Aluminum


BA.:10°

Filter Angle.:15°/25°/38°/10x35°/Honey Comb

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color



黑色
Black



鉻色
Chrome



金色
Gold



黑鉻
Black
Chrome



玫瑰金
Rose
Golden




D41-2-B

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W*2

光通量:420lm*2

材質:鋁

光束角:10°

濾片角度:15°/25°/38°/10x35°/蜂網片

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:10W*2

Luminous Flux:420lm*2

Material:Aluminum


BA.:10°

Filter Angle.:15°/25°/38°/10x35°/Honey Comb

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color



黑色
Black



鉻色
Chrome



金色
Gold



黑鉻
Black
Chrome



玫瑰金
Rose
Golden




D41-3-B

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W*3

光通量:420lm*3

材質:鋁

光束角:10°

濾片角度:15°/25°/38°/10x35°/蜂網片

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:10W*3

Luminous Flux:420lm*3

Material:Aluminum


BA.:10°

Filter Angle.:15°/25°/38°/10x35°/Honey Comb

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color



黑色
Black



鉻色
Chrome



金色
Gold



黑鉻
Black
Chrome



玫瑰金
Rose
Golden




D41-4-B

Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:10W

光通量:420lm

材質:鋁

光束角:10°

濾片角度:15°/25°/38°/10x35°/蜂網片

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:10W

Luminous Flux:420lm

Material:Aluminum


BA.:10°

Filter Angle.:15°/25°/38°/10x35°/Honey Comb

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color



黑色
Black



鉻色
Chrome



金色
Gold



黑鉻
Black Chrome



玫瑰金
Rose Golden