


S47-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:7W
 光通量:460lm
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:7W
 Luminous Flux:460lm
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern




S47-L-D Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:7W*2
 光通量:460lm*2
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:7W*2
 Luminous Flux:460lm*2
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern




S47-2-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:11W
 光通量:850lm
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:11W
 Luminous Flux:850lm
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




S47-3-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:11W
 光通量:850lm
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:11W
 Luminous Flux:850lm
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




S52-L Spot series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:5W
 光通量:360lm
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:5W
 Luminous Flux:360lm
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern




S52-L-D Spot series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:5W*2
 光通量:360lm*2
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:5W*2
 Luminous Flux:360lm*2
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern




S52-1-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:48V
 功率:10W
 光通量:420lm
 材質:鋁
 光束角:10°
 濾片角度:15°/25°/38°/10x35°/蜂網片
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:48V
 Power:10W
 Luminous Flux:420lm
 Material:Aluminum
 BA.:10°
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光学配件/Front Ring Color




S52-5-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:48V
 功率:10W
 光通量:550lm
 材質:鋁
 光束角:10°
 顯示指數:≥90
 色溫:2700/3000K/4000K
 Input Voltage:48V
 Power:10W
 Luminous Flux:550lm
 Material:Aluminum
 BA.:10°
 CRI:≥90
 CCT:2700/3000K/4000K

配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	13186	0.0
2	3296	0.1
3	1465	0.1
4	824	0.2
5	527	0.3




S52-6-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:48V
 功率:9W
 光通量:660lm
 材質:鋁
 光束角:24°/55°
 顯示指數:≥90
 色溫:2700/3000K/4000K
 Input Voltage:48V
 Power:9W
 Luminous Flux:660lm
 Material:Aluminum
 BA.:24°/55°
 CRI:≥90
 CCT:2700/3000K/4000K

配光曲線圖/Light pattern




S53-1-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:12W
 光通量:650lm
 材質:鋁
 光束角:15°/30°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:12W
 Luminous Flux:650lm
 Material:Aluminum
 BA.:15°/30°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




S58-L Spot Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications


輸入電壓:DC48V
 功率:12W
 光通量:700lm
 材質:鋁
 光束角:17°-45°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:12W
 Luminous Flux:700lm
 Material:Aluminum
 BA.:17°-45°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern



S59-L**Beam shaper series**

- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions**調光控制系統/Dimming Control****規格/Technical Specifications**

輸入電壓:DC48V
 功率:12W
 光通量:750lm
 材質:鋁
 光束角:24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:12W
 Luminous Flux:750lm
 Material:Aluminum
 BA.:24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern