


## OD16-1

### Atmo Series



● 銀色/Silver

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控硅  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:45lm

材質:不鏽鋼+亞克力

光束角:泛光

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:45lm

Material:Stainless steel+PMMA

BA.:Flood

CRI:≥90

CCT:2700K/3000K/4000K


## OD16-2

### Atmo Series



● 銀色/Silver

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控矽  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:140lm

材質:不鏽鋼

光束角:15°

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:140lm


Material:Stainless steel

BA.:15°

CRI:≥90

CCT:2700K/3000K/4000K

#### 配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	1198	0.1
2	299	0.3
3	133	0.7
4	74	1.2
5	47	1.9




## OD16-3

### Atmo Series



● 銀色/Silver

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控矽  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:35lm

材質:不鏽鋼

光束角:泛光

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:35lm

Material:Stainless steel

BA.:Flood

CRI:≥90

CCT:2700K/3000K/4000K




## OD16-4

### Atmo Series



#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控硅  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:5lm

材質:不鏽鋼

光束角:側發光

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:5lm

Material:Stainless steel

BA.:Sides lighting

CRI:≥90

CCT:2700K/3000K/4000K

● 銀色/Silver




## OD16-5

### Atmo Series



● 銀色/Silver

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控矽  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:3lm

材質:不鏽鋼

光束角:側發光

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:3lm

Material:Stainless steel

BA.:Sides lighting

CRI:≥90

CCT:2700K/3000K/4000K


## OD16-6

### Atmo Series



● 銀色/Silver

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控矽  
Triac



0-10V



DALI

#### 規格/Technical Specifications

輸入電壓:DC24V

功率:3W

光通量:5lm

材質:不鏽鋼

光束角:側發光

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:DC24V

Power:3W

Luminous Flux:5lm

Material:Stainless steel

BA.:Sides lighting

CRI:≥90

CCT:2700K/3000K/4000K