


**P11-1**  
Verta Series



- 白色/White
- 灰色/Grey

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:7W  
 光通量:500lm  
 材質:鋁  
 光束角:15°/24°/36°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:7W  
 Luminous Flux:500lm  
 Material:Aluminum  
 BA.:15°/24°/36°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




**P11-2**  
Verta Series



- 白色/White
- 灰色/Grey

線圖/Dimensions



調光控制系統/Dimming Control



定電流  
non-dim



可控矽  
Triac



0-10V




DALI

規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W  
 光通量:900lm  
 材質:鋁  
 光束角:15°/24°/36°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:10W  
 Luminous Flux:900lm  
 Material:Aluminum  
 BA.:15°/24°/36°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




**P11-3**  
Verta Series



- 白色/White
- 灰色/Grey

線圖/Dimensions



調光控制系統/Dimming Control



定電流  
non-dim



可控硅  
Triac



0-10V



DALI

規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:18W  
 光通量:1600lm  
 材質:鋁  
 光束角:15°/24°/36°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:18W  
 Luminous Flux:1600lm  
 Material:Aluminum  
 BA.:15°/24°/36°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern

