


S11-1

Verta Series



- 白色/White
- 灰色/Grey

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI

規格/Technical Specifications

輸入電壓:220-240V 50Hz

功率:7W

光通量:500lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:220-240V 50Hz

Power:7W

Luminous Flux:500lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90


CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern



S11-2**Verta Series**

- 白色/White
- 灰色/Grey

線圖/Dimensions**調光控制系統/Dimming Control**定電流
non-dim可控矽
Triac

0-10V



DALI

規格/Technical Specifications

輸入電壓:220-240V 50Hz

功率:10W

光通量:900lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:220-240V 50Hz

Power:10W


Luminous Flux:900lm

Material:Aluminum

BA.:15°/24°/36°


CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern

S11-3**Verta Series**

- 白色/White
- 灰色/Grey

線圖/Dimensions**調光控制系統/Dimming Control**定電流
non-dim可控矽
Triac

0-10V



DALI

規格/Technical Specifications

輸入電壓:220-240V 50Hz

功率:18W

光通量:1600lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:220-240V 50Hz

Power:18W

Luminous Flux:1600lm

Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern