


Boite- More than meets the eyes








Trim/ Trimless version in:
1x1, 1x2, 1x3 configuration

8 modules to fulfill ambient,
accent, task lighting.

10 types of optical
accessories to change the
beam and minimise UGR




Snap-in installation/ change for the modules depending on the scenes.


Trim/ Trimless version frame to meet lighting requirements for **Ambient**, **Accent**, and **Task** lighting.

Smart control or different control methods are available upon request.

Boite – Mix what you need



Wallwash	Zoom 12°-55°	24°	Flood
----------	--------------	-----	-------



12°/24°/36°	10°/ 15°/24°/38° 10°x35°	10°/ 15°/25°/38°/ 10°x35°/ 36°x36°	Flood
-------------	--------------------------------	---	-------


NS	N	M	W	F	W/F	WW	Oval	Zoom
Narrow Spot	Narrow	Medium	Wide	Flood	Wide Flood	Wallwash	Oval	Beam shift mechanism

Tunable	Magnetic Snap
Tunable CCT	Beam shift mechanism

Dimmable	Triac Dimming	0-10V	DALI Control
Dimmable	Triac Dimming	0-10 Voltage	DALI Control

Bluetooth	Android	ACO Smart	CE Certificate	China CCC Certificate
Bluetooth	Android	Smart Home	CE Certificate	China CCC Certificate

COfusion



Wallwash

Zoom 12°-
55°

24°

Flood

12°/24°/36°

10°/15°/24°/3
8°10°x35°

10°/15°/25°/38
° 10°x35°/
36°x36°

Focus
Flood

D

A

H




F

G

E

	Watt	Lumen	Feature
A	12W	700	Wallwash
B	12W	780	Zoom 17-45°
C	12W	940	24°
D	12W	750	Wide flood
E	07W	379	Pendant
F	12W	950	Filter Track
G	12W	780	Recessed filter
H	12W	880	Deep-recessed

COfusion




ACOfusion



12°/24°/36°


COfusion




10°/
15°/24°/38°
10°x35°

10°/ 15°/25°/38°/
10°x35°/ 36°x36°

ACOfusion



三头边框
导轨头型+调角型+偏光型



Wallwash

Zoom 12°-55°

10°/ 15°/24°/38°
10°x35