


# D41-1-A

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W  
 光通量:370lm  
 材質:鋁  
 光束角:18°-45°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:10W  
 Luminous Flux:370lm  
 Material:Aluminum  
 BA.:18°-45°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern




# D41-2-A

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W\*2  
 光通量:370lm\*2  
 材質:鋁  
 光束角:18°-45°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:10W\*2  
 Luminous Flux:370lm\*2  
 Material:Aluminum  
 BA.:18°-45°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern




# D41-3-A

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W\*3  
 光通量:370lm\*3  
 材質:鋁  
 光束角:18°-45°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:10W\*3  
 Luminous Flux:370lm\*3  
 Material:Aluminum  
 BA.:18°-45°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern




# D41-4-A

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W  
 光通量:370lm  
 材質:鋁  
 光束角:18°-45°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:220-240V 50Hz  
 Power:10W  
 Luminous Flux:370lm  
 Material:Aluminum  
 BA.:18°-45°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern




# D41-1-B

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W  
 光通量:420lm  
 材質:鋁  
 光束角:10°  
 濾片角度:15°/25°/38°/10x35°/蜂網片  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K  
 Input Voltage:220-240V 50Hz  
 Power:10W  
 Luminous Flux:420lm  
 Material:Aluminum  
 BA.:10°  
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb  
 CRI:≥90  
 CCT:2700K/3000K/4000K

### 配光曲線圖/Light pattern



### 光学配件/Front Ring Color




# D41-2-B

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W\*2  
 光通量:420lm\*2  
 材質:鋁  
 光束角:10°  
 濾片角度:15°/25°/38°/10x35°/蜂網片  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K  
 Input Voltage:220-240V 50Hz  
 Power:10W\*2  
 Luminous Flux:420lm\*2  
 Material:Aluminum  
 BA.:10°  
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb  
 CRI:≥90  
 CCT:2700K/3000K/4000K

### 配光曲線圖/Light pattern



### 光学配件/Front Ring Color




# D41-3-B

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W\*3  
 光通量:420lm\*3  
 材質:鋁  
 光束角:10°  
 濾片角度:15°/25°/38°/10x35°/蜂網片  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K  
 Input Voltage:220-240V 50Hz  
 Power:10W\*3  
 Luminous Flux:420lm\*3  
 Material:Aluminum  
 BA.:10°  
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb  
 CRI:≥90  
 CCT:2700K/3000K/4000K

### 配光曲線圖/Light pattern



### 光学配件/Front Ring Color




# D41-4-B

## Ami Series



- 黑色/Black
- 灰色/Grey
- 白色/White

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:220-240V 50Hz  
 功率:10W  
 光通量:420lm  
 材質:鋁  
 光束角:10°  
 濾片角度:15°/25°/38°/10x35°/蜂網片  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K  
 Input Voltage:220-240V 50Hz  
 Power:10W  
 Luminous Flux:420lm  
 Material:Aluminum  
 BA.:10°  
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb  
 CRI:≥90  
 CCT:2700K/3000K/4000K

### 配光曲線圖/Light pattern



### 光学配件/Front Ring Color

