


S31-L Accent Series



- 黑色/Black
- 灰色/Grey
- 白色/White
- 玫瑰金/Rose Golden

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:10W
 光通量:370lm
 材質:鋁
 光束角:18°-45°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:10W
 Luminous Flux:370lm
 Material:Aluminum
 BA.:18°-45°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




S31-1-L Accent Series



- 黑色/Black
- 灰色/Grey
- 白色/White
- 玫瑰金/Rose Golden

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:10W
 光通量:370lm
 材質:鋁
 光束角:18°-45°
 顯示指數:≥90
 色溫:2700K/3000K/4000K/雙色溫
 Input Voltage:DC48V
 Power:10W
 Luminous Flux:370lm
 Material:Aluminum
 BA.:18°-45°
 CRI:≥90
 CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




S32-L

Accent series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:10W
 光通量:420lm
 材質:鋁
 光束角:10°
 濾片角度:15°/25°/38°/10x35°/蜂網片
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:10W
 Luminous Flux:420lm
 Material:Aluminum
 BA.:10°
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color




S32-1-L

Accent series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions




調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:10W
 光通量:420lm
 材質:鋁
 光束角:10°
 濾片角度:15°/25°/38°/10x35°/蜂網片
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:10W
 Luminous Flux:420lm
 Material:Aluminum
 BA.:10°
 Filter Angle.:15°/25°/38°/10x35°/Honey Comb
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學配件/Front Ring Color

黑色
Black鉻色
Chrome金色
Gold黑鉻
Black
Chrome玫瑰金
Rose
Golden


S55-L

Accent Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



規格/Technical Specifications

輸入電壓:DC48V
 功率:7W
 光通量:400lm
 材質:鋁
 光束角:15°/24°/36°
 顯示指數:≥90
 色溫:2700K/3000K/4000K
 Input Voltage:DC48V
 Power:7W
 Luminous Flux:400lm
 Material:Aluminum
 BA.:15°/24°/36°
 CRI:≥90
 CCT:2700K/3000K/4000K

配光曲線圖/Light pattern

